

CHEERY PANELS

Designed by Ariga Wilson for RK
www.robertkaufman.com

Featuring *Festive Fauna*

Panel
Friendly



Finished quilt measures: 61" x 76"












Difficulty Rating: **Beginner**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AHPD-23041-223 HOLIDAY	2/3 yard (one full panel)		G	AHPD-23047-91 CRIMSON	1/8 yard
	B	AHPD-23042-63 SKY	1/3 yard		H	AHPD-23046-14 NATURAL	1-1/4 yards
	C	AHPD-23042-14 NATURAL	1/3 yard		I	AHPD-23047-274 PINE	3/8 yard
	D	AHPD-23045-161 STRAW	1/3 yard		J	AHPD-23045-91 CRIMSON	1-1/4 yards
	E	AHPD-23048-478 CANDY CANE	1/3 yard		Binding*	AHPD-23047-274 PINE	5/8 yard
	F	AHPD-23048-270 MEADOW	1/3 yard	You will also need: 3-7/8 yards for backing			
Copyright 2025, Robert Kaufman For individual use only - Not for resale							

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, fussy cut:

six 10-1/2" squares centered on each of the panel's motifs

From each of Fabrics B-D, cut:

one 10-1/2" x WOF strip. Subcut:
two 10-1/2" square of each fabric

From each of Fabrics E and F, cut:

six 1-1/2" x WOF strips. Subcut:
twenty-four 1-1/2" x 10-1/2" rectangles of each fabric

From Fabric G, cut:

two 1-1/2" x WOF strips. Subcut:
forty-eight 1-1/2" squares

From Fabric H, cut:

eleven 3-1/2" x WOF strips. Subcut:
eight 3-1/2" x 12-1/2" vertical sashing strips
Sew the remaining strips together, then subcut:
two 3-1/2" x 57-1/2" side inner borders
two 3-1/2" x 48-1/2" top/bottom inner borders
three 3-1/2" x 42-1/2" horizontal sashing strips

From Fabric I, cut:

six 2" x WOF strips. Sew the strips together, then subcut:
two 2" x 63-1/2" side middle borders
two 2" x 51-1/2" top/bottom middle borders

From Fabric J, cut:

seven 5-1/2" x WOF strips. Sew the strips together, then subcut:
two 5-1/2" x 66-1/2" side outer borders
two 5-1/2" x 61-1/2" top/bottom outer borders

From the Binding Fabric, cut:

seven 2-1/2" x WOF strips

Assemble the Blocks

Step 1: Sew one 1-1/2" x 10-1/2" Fabric E rectangle between two 1-1/2" Fabric G squares. Press toward the rectangle.



Make twenty-four E/G units.

Step 2: Sew one 1-1/2" x 10-1/2" Fabric F rectangle between two 1-1/2" Fabric G squares. Press toward the rectangle.



Make twenty-four F/G units.

Step 3: Sew a 1-1/2" x 10-1/2" Fabric E rectangle to the left side of a 10-1/2" Fabric A square. Sew a 1-1/2" x 10-1/2" Fabric F rectangle to the right side of the unit. Press the seams toward the rectangles.

Make six E/A/F units.



Step 4: Sew an E/G unit to the top of an F/A/E unit. Sew an F/G unit to the bottom. Press the seams toward the top and bottom edges.

Make six A Blocks.



Step 5: Sew a 1-1/2" x 10-1/2" Fabric F rectangle to the left side of a 10-1/2" Fabric B square. Sew a 1-1/2" x 10-1/2" Fabric E rectangle to the right side of the unit. Press the seams toward the rectangles.

Make two F/B/E units.



Step 6: Sew an F/G unit to the top of an F/B/E unit. Sew an E/G unit to the bottom. Press the seams toward the top and bottom edges.

Make two B Blocks.



Step 7: Sew a 1-1/2" x 10-1/2" Fabric F rectangle to the left side of a 10-1/2" Fabric C square. Sew a 1-1/2" x 10-1/2" Fabric E rectangle to the right side of the unit. Press the seams toward the rectangles.

Make two F/C/E units.



Step 8: Sew an F/G unit to the top of an F/C/E unit. Sew an E/G unit to the bottom. Press the seams toward the top and bottom edges.

Make two C Blocks.



Step 9: Sew a 1-1/2" x 10-1/2" Fabric F rectangle to the left side of a 10-1/2" Fabric D square. Sew a 1-1/2" x 10-1/2" Fabric E rectangle to the right side of the unit. Press the seams toward the rectangles.

Make two F/D/E units.



Step 10: Sew an F/G unit to the top of an F/D/E unit. Sew an E/G unit to the bottom. Press the seams toward the top and bottom edges.

Make two D Blocks.



Assemble the Quilt

Step 11: Arrange the blocks into four rows of three blocks. Note the block placement in the Quilt Assembly Diagram. Separate the blocks in each row with vertical sashing strips.

Step 12: Sew the blocks and vertical sashing strips together to form rows. Press the seams toward the sashing strips.

Step 13: Separate the rows with horizontal sashing strips.


Step 14: Sew the rows and horizontal sashing strip together to form the quilt center. Press the seams toward the sashing strips.

Step 15: Sew the side inner borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom inner borders to the quilt center. Press toward the borders.

Step 16: Sew the side middle borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom middle borders to the quilt center. Press toward the borders.

Step 17: Sew the side outer borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom outer borders to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind, and enjoy!



Quilt Assembly Diagram

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2025. All rights reserved.