


# FESTIVE PANELS

Designed by Ariga Wilson for RK  
[www.robertkaufman.com](http://www.robertkaufman.com)

Featuring **Cobalt Bliss**  
*Lanuen Wan*



Panel  
Friendly

Finished quilt measures: 54" x 54"











Difficulty Rating: **Beginner**

**ROBERTKAUFMAN**  
F A B R I C S

For questions about this pattern, please email [Patterns@RobertKaufman.com](mailto:Patterns@RobertKaufman.com).

## Fabric and Supplies Needed

*Fabric amounts based on yardage that is 42" wide.*

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AVMDM-23212-75 DELFT	2/3 yard (one full panel)		F	AVMDM-23218-63 SKY	1/8 yard
	B	AVMDM-23221-9 NAVY	1/2 yard		G	AVMDM-23218-72 COBALT	1/8 yard
	C	AVMDM-23221-1 WHITE	5/8 yard		H	AVMDM-23220-9 NAVY	1/8 yard
	D	K001-1387 WHITE	1 yard		I	AVMDM-23216-75 DELFT	1/8 yard
	E	AVMDM-23216-243 CERULEAN	1/8 yard		Binding	AVMDM-23221-9 NAVY <i>*Also used for Fabric B</i>	1/2 yard
<p>Copyright 2025, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 3-1/2 yards for backing</p>			

## Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!



## Cutting Instructions

### From Fabric A, fussy cut:

four 15-1/2" squares

### From Fabric B, cut:

eight 2" x WOF strips. Subcut:  
eight 2" x 15-1/2" side block borders  
eight 2" x 18-1/2" top/bottom block borders

### From Fabric C, cut:

ten 2" x WOF strips. Subcut:  
ten 2" x 15-1/2" side outer block borders  
ten 2" x 18-1/2" top/bottom outer block borders

### From Fabric D, cut:

four 4" x WOF strips. Subcut:  
forty 4" squares for the HSTs  
nine 2" x WOF strips. Subcut:  
ten 2" x 12-1/2" side inner block borders  
ten 2" x 15-1/2" top/bottom inner block borders

### From each of Fabrics E and G, cut:

one 4" x WOF strip. Subcut:  
ten 4" squares for the HSTs

### From each of Fabrics F and I, cut:

one 4" x WOF strip. Subcut:  
six 4" squares for the HSTs

### From Fabric H, cut:

one 4" x WOF strip. Subcut:  
eight 4" squares for the HSTs

### From the Binding, cut:

six 2-1/2" x WOF strips.

## Assemble the Half-Square Triangles (HSTs)

**Step 1:** Pair a 4" Fabric D square with a 4" Fabric E square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 3-1/2" square. Repeat to make twenty D/E HSTs.



**Step 2:** Repeat the process in Step 1 to make:



twelve D/F HSTs



twenty D/G HSTs




sixteen D/H HSTs



twelve D/I HSTs

## Assemble the Blocks



**Step 3:** Gather:  
three D/G HSTs  
three D/H HSTs  
four D/E HSTs  
three D/F HSTs  
three D/I HSTs

Arrange the units into four rows of four. Note the fabric placement and block orientation in the Block Assembly Diagram.


**Step 4:** Sew the HSTs together to form the rows. Press the seams in opposite directions every other row.

**Step 5:** Sew the rows together, nesting the seams and pressing the seams to one side to form the block center, measuring 12-1/2" square.

**Step 6:** Sew the Fabric D side inner block borders to the sides of the block center. Press toward the borders. Sew the Fabric D top and bottom inner block borders to the block center. Press toward the borders.

**Step 7:** Sew the Fabric C side outer block borders to the sides of the block center. Press toward the borders. Sew the Fabric C top and bottom outer block borders to the block center. Press toward the borders.

The Block should measure 18-1/2" square. Make four Blocks like this.




**Step 8:** Repeat the process in Steps 4-7, this time with:  
four D/E HSTs  
eight D/G HSTs  
four D/H HSTs

Make one Block like this.

**Step 9:** Sew the Fabric B side outer borders to the sides of the Fabric A squares. Press toward the borders. Sew the Fabric B top and bottom outer borders to the Fabric A squares. Press toward the borders. The resulting block should measure 18-1/2" square.

## Assemble the Quilt



**Step 10:** Arrange the blocks into three rows of three blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

**Step 11:** Sew the blocks together to form rows. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows.

**Step 12:** Sew the rows together to form the quilt center. Press the row seams open.

Your quilt top is complete. Baste, quilt, bind and enjoy!