MERRIMENT PANELS

Designed by Ariga Wilson for RK www.robertkaufman.com





Finished quilt measures: 53-1/2" x 53-1/2"

Difficulty Rating: Beginner



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AXUDM-23089-223 HOLIDAY	3 1 yard (one complete panel)		Ε ,	AXUDM-23096-274 PINE	3/8 yard
	В	AXUDM-23096-2 BLACK	1/4 yard		F.	AXUDM-23090-113 CRANBERRY	5/8 yard
***************************************	С	AXUDM-23095-93 SCARLET	1/4 yard		Binding*	AXUDM-23096-2 BLACK *Also used for Fabric E	1/2 yard
	D	AXUDM-23093-85 VANILLA	3/4 yard				
Copyright 2025, Robert Kaufman For individual use only - Not for resale				You will also need: 3-1/2 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, fussy cut:

four 14-1/2" squares centered around each motif.

From each of Fabrics B and C, cut:

four 1-1/2" x WOF strips. Subcut:

four 1-1/2" x 16-1/2" rectangles of each fabric

four 1-1/2" x 14-1/2" rectangles of each fabric

From Fabric D, cut:

six 4" x WOF strips. Subcut:

two 4" x 43" top/bottom inner borders*

two 4" x 36" side inner borders

one 4" x 36" horizontal sashing strip

two 4" x 16-1/2" vertical sashing strips

*Note: If the usable width of your fabric is not 43" or greater, piece together three 4" x WOF strips, then subcut the top/bottom inner borders from the pieced strip. One of the 36" long strips can then be subcut from the remainder of the pieced strip.

From Fabric E, cut:

five 2-1/2" x WOF strips. Sew the strips together, end-to-end, then subcut:

two 2-1/2" x 47" top/bottom middle borders

two 2-1/2" x 43" side middle borders

From Fabric F, cut:

five 4" x WOF strips. Sew the strips together, end-to-end, then subcut:

two 4" x 54" top/bottom outer borders

two 4" x 47" side outer borders

From the Binding Fabric, cut:

six 2-1/2" x WOF strips

Assemble the Blocks

Step 1: Gather one 14-1/2" Fabric A square, two 1-1/2" \times 14-1/2" Fabric B rectangles, and two 1-1/2" \times 16-1/2" Fabric B rectangles. Sew the 1-1/2" \times 14-1/2" rectangles to the sides of the Fabric A square. Press. Sew the 1-1/2" \times 16-1/2" rectangles to the top and bottom edges of the unit. Press to complete one block.



Step 2: Repeat Step 1 using the remaining Fabric B rectangles to make a second block.



Step 3: Repeat Step 1 using Fabric C rectangles in place of the Fabric B rectangles to make two additional blocks.





Assemble the Quilt

Step 4: Arrange the blocks into two rows of two blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram. Place a 4" x 16-1/2" vertical sashing strip in between the blocks.

Step 5: Sew the blocks and vertical sashing strips together to form rows. Press.

Step 6: Place the 4" x 36" horizontal sashing strip in between the rows.

Step 7: Sew the rows and horizontal sashing strip together to form the quilt center. Press.

Step 8: Sew the side inner borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom inner borders to the quilt center. Press toward the borders.

Step 9: Sew the side middle borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom middle borders to the quilt center. Press toward the borders.

Step 10: Sew the side outer borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom outer borders to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind, and enjoy!



Quilt Assembly Diagram

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2025. All rights reserved.