

# NEIGHBORHOOD

Designed by Ariga Wilson for RK  
[www.robertkaufman.com](http://www.robertkaufman.com)

Featuring **Winter Visitors**



Finished quilt measures: 47-1/2" x 57-1/2"

Difficulty Rating: **Beginner**
















**ROBERTKAUFMAN**  
F A B R I C S

For questions about this pattern, please email [Patterns@RobertKaufman.com](mailto:Patterns@RobertKaufman.com).



## Fabric and Supplies Needed

*Fabric amounts based on yardage that is 42" wide.*

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-1242 NATURAL	3/4 yard		I	AHYD-20222-254 FROST	1/4 yard
	B	AHYD-20031-94 CARDINAL	1/4 yard		J	AHYD-20030-443 EASTERN BLUE BIRD	1/4 yard
	C	AHYD-20222-217 GLACIER	1/4 yard		K	SRKM-14476-7 GREEN	1/4 yard
	D	AHYD-20223-80 EVENING	1/8 yard		L	AHYD-20223-216 CLOUD	1/4 yard
	E	SRKM-14476-29 HUNTER	1/4 yard		M	AHYD-20223-160 TAUPE	1/8 yard
	F	AHYD-20029-449 CHICKADEE	1-1/2 yards		N	AHYD-20032-439 CEDARWAX	1/4 yard
	G	SRKM-14476-88 ICE	1/4 yard		Binding*	SRKM-14476-29 HUNTER	1/2 yard
	H	AHYD-20028-277 WINTER	1/4 yard	<i>*Also used for Fabric E</i>			

Copyright 2021, Robert Kaufman  
For individual use only - Not for resale

You will also need:  
3-1/4 yards for backing

## Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

## Cutting Instructions

### **From Fabric A, cut:**

twenty-four 1" x WOF strips. Subcut:

four 1" x 40" row sashing strips

two 1" x 41" top/bottom inner borders

thirty-five 1" x 10" rectangles

twenty 1" x 6-1/2" rectangles

twenty 1" x 3-1/2" rectangles

sew the remaining three strips together, end-to-end, then trim:

two 1" x 50" side inner borders

### **From each of Fabrics B, H, J, L and N, cut:**

one 6-1/2" x WOF strips. Subcut:

four 6-1/2" squares

### **From Fabric C, cut:**

one 6-1/2" x WOF strip. Subcut:

two 3-1/2" x 6-1/2" rectangles

Trim the remainder of the strip to 3-1/2" wide, then subcut:

three 6-1/2" x 3-1/2" rectangles

### **From Fabric D, cut:**

one 6-1/2" x WOF strip. Subcut:

four 3-1/2" x 6-1/2" rectangles

Trim the remainder of the strip to 3-1/2" wide, then subcut:

one 6-1/2" x 3-1/2" rectangle

### **From Fabric E, cut:**

one 6-1/2" x WOF strip. Subcut:

one 3-1/2" x 6-1/2" rectangle

Trim the remainder of the strip to 3-1/2" wide, then subcut:

four 6-1/2" x 3-1/2" rectangles

### **From each of Fabrics G, I, and K, cut:**

two 3-1/2" x WOF strips. Subcut:

five 3-1/2" x 6-1/2" rectangles

four 3-1/2" squares

**From Fabric F, cut:**

two 4" x length of fabric strips. Trim to:  
two 4" x 51" side outer borders

From the remaining yardage, cut:

three 4" x WOF strips. Sew together, end-to-end, then trim:  
two 4" x 48" top/bottom outer borders

two 3-1/2" x WOF strips. Subcut:  
five 3-1/2" x 6-1/2" rectangles  
four 3-1/2" squares


**From Fabric M, cut:**

one 3-1/2" x WOF strip. Subcut:  
five 3-1/2" x 6-1/2" rectangles

**From the Binding Fabric, cut:**

six 2-1/2" x WOF strips

## Assemble the Blocks

**Step 1:** Gather:

one 6-1/2" Fabric B square  
one Fabric C rectangle  
one Fabric D rectangle  
one 3-1/2" Fabric E square  
one 3-1/2" Fabric A strip  
one 6-1/2" Fabric A strip  
one 10" Fabric A strip

Arrange the units as shown, forming the Block. Note the fabric placement and block orientation in the Block Assembly Diagram.

**Step 2:** Sew the 6-1/2" A strip between the B and C units. Press. Sew the 3-1/2" A strip between the D and E units. Press. Sew the B/C unit to the D/E unit, sewing the 10" A strip between. Press. The resulting Block should measure 10" square.

**Step 3:** Repeat the process in Step 1 to make the remaining Blocks. Note the orientation and placement of the fabrics in each block, using the Quilt Assembly Diagram for reference. Each time you will sew the 3-1/2" square, 3-1/2" A strip and one of the 3-1/2" x 6-1/2" rectangles together, then sew the 6-1/2" square, 6-1/2" A strip and remaining 3-1/2" x 6-1/2" rectangle together, before finally sewing the units together with the 10" A strip.



## Assemble the Quilt



**Step 4:** Arrange the Blocks together as indicated in the Quilt Assembly Diagram. Sew each row together, using 10" Fabric A sashing strips between each block. Press seams toward the sashing. Repeat to make five block rows.

**Step 5:** Sew the sashing and block rows together. Press seams open or to the sashing.

**Step 6:** Sew the side inner borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom inner borders to the quilt center. Press toward the borders.

**Step 7:** Sew the side outer borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom outer borders to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2021. All rights reserved.